

# **Configure Google Apps**


Goto https://admin.google.com




#### Click on Apps



Click on SAML apps



Select SETUP MY OWN CUSTOM APP



Download IDP metadata, this you will need to enter in the Idp XML Field when configuring the SAML Plugin

Please provide service D are mandatory.	provider details to configure S	SSO for you	r Custom App. 1	The ACS url ar	nd Entity
ACS URL *	https://bitbucket.2impro	n			
Entity ID *	https://bitbucket.2impro				
Start URL					
Signed Response					
Name ID	Basic Information		First Name		₩
Name ID Format	UNSPECIFIED	~			

Fill in the URL and Entitity ID as configured in the SAML Plugin

Step 5 of 5

# **Attribute Mapping**

Provide mappings between service provider attributes to available user profile fields.


Some providers require you to map application attributes to user fields. You should check the application's documentation to see if this is required. You can always come back later to complete the mapping.

There are currently no mappings for this application


ADD NEW MAPPING

PREVIOUS CANCEL FINISH


Click on Finish



#### Click on OK



Now turn on the SAML for you Organization



Here another example how you can configure the SAML Plugin : with auto provisioning and using the username in JIRA the part before the '@'-sign of the email address of Google Suite

# Show the login Button

Show / Hide the login Button

### Show the login Button in Service Desk

Show / Hide the login Button in Service Desk

#### Login Button Title

Login using Google Account

The text which is shown on the Login Button

#### SAML Endpoint

https://jira.2improveit.eu/plugins/servlet/saml/auth

Use this URL in your IdP to initiate a SAML login

## Identity Provider XML

KriKlJY/GGZ//WjsZHZDlvkqgc+bHoNVhqx+ig1pHuja5UiGxQlDAQABMA0GCSqGSlb3DQEBCwU

A4IBAQApOGPf51Yed51a0NMZ3SITsy0nt3XU/OsajNRni0slq6vARY60JVbrU1TvSXZtwITsHuCL E62yw9DLiuuf97z380E36IRN+44T3+qdg2G+PZkD2iSQJ9hSRNhEkazMzWu0JAjExaEVPJqX6M 6A

NgmjcX5ZxdRi4DRW03DL4uljc0jzv+3LqjjHCAqKkZw1AwXNOKimOB89r9V/ir4rlwu4clqreG9m hVQfCJkki9lh+Ofrfdnut2wrrl9SoP5LrdqnElf1wnRfTOiTXZNJmZLvpepPlOKbb+ugU0OFBYdx hvSzSlKEPa6LrJmHBSaCg42rZNyiMZud2H3vv1uyyt7r</ds:X509Certificate>

</ds:X509Data>

</ds:KeyInfo>

</md:KeyDescriptor>

<md:NameIDFormat>urn:oasis:names:tc:SAML:1.1:nameid-

format:emailAddress</md:NameIDFormat>

<md:SingleSignOnService Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-Redirect" Location="https://accounts.google.com/o/saml2/idp?idpid=C016ap3v0"/>

<md:SingleSignOnService Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-POST" Location="https://accounts.google.com/o/saml2/idp?idpid=C016ap3v0"/>

</md:IDPSSODescriptor>

</md:EntityDescriptor>

Your Identity Providers metadata.xml

#### SP Entity ID

https://jira.2improveit.eu

The EntityID that your plugin will use as ServiceProvider

#### Max. Authentication Age

2592000

The maximum time the system allows users to single sign-on since their initial authentication with the IDP

#### □ Force SAML login

If checked, all logins will be made through SAML only. Please test SAML SSO first before checking this box.

#### ☐ Create User

Create User if not exists

#### SAML User Name Field

Nameld.split("@")[0]

SAML User Name Field on creation

#### SAML User DisplayName Field

first\_name + ' ' + last\_name

SAML User DisplayName Field on creation

#### SAML User Email Field

email

SAML User Email Field on creation



SAML User Groups Field on creation

# Default Usergroup(s)


jira-users

Assign the new created Users to these usergroups(s)


# Disable Change Password

Disable that a user can change his password

Save



1×



^ Attribute Mapping											
-	ovide mappings between service provider attributes to available user profile fields.										
	first_name	Basic Information	₩	First Name							
	last_name	Basic Information		Last Name							
	email	Basic Information		Primary Email							
	ADD NEW MAPPING										