Configure Okta

Goto Dashboard

C	okta	Dashboard	Directory	Applications	Security	Reports	Settings		My Applications 🤿
✓ Dashboard Status People 1 Search peol Search peol ✓ No notifications to view! Applications						1 people ons 0	©	Shortcuts Add Applications Assign Applications Add People Add People Activate People C Reset Passwords	
	Usage - L	ast 30 Days	<u>©</u>	Reports Okta Usage Application Usage Suspicious Activity Application Access App Password Health					
									Deprovisioning Details SMS Usage MFA Usage System Log SAML Capable Apps

and Create New App

okta	Dashboard	Directory	Applications	Security	Reports	Settings		My Applications 🕂
📕 Add A	pplication							← Back to Applications
					AII A B C I	DEFGHI.	JKLMNOPO	R S T U V W X Y Z
C	Can't find an app? Create New App Apps you created (0) →			Teladoc Okta Verified				Add
Арр			&frankly	&frankly Okta Verified	✓ SAML			Add
INTEGRATION Any	N PROPERTIES		10,000 ft	10000ft Okta Verified				Add
Supports SAN	visioning		()) domain	101domains.cc Okta Verified	m			Add
CATEGORIES	;		I23RF°	123RF Okta Verified				Add

Choose SAML 2.0 as Sign on method

okta									My Applicati	ions 🔿
🚛 Add Ap	oplication								← Back to A	pplications
Q Search fo	or an application				AII A B C	DEFGHI	JKLMN	OPQRS	TUVW	хүг
Can't find an app?			O TELADOC	Teladoc Okta Verified						Add
Apps	s you created (0) →		&frankly	&frankly Okta Verified	✓ SAML				-	Add
	Create a l	New Applica	tion Integratior						×	Add
Supports SAM Supports Prov	IL Sign on me risic	ethod		O Secure Users ci	Web Authenticat redentials to sigr	i on (SWA) 1 in. This integrati	on works with mo	st apps.		Add
CATEGORIES				SAML 2 Uses the than SW	.0 e SAML protocol /A, if the app sup	to log users into ports it.	the app. This is a	better option		Add
Content Mana Collaboration	ige					[Create	Cancel		Add
Consumer CRM		193 139	1&1	1and1 E-mail Okta Verified						Add

Name it according to the App : e.g. JIRA, and upload a logo for it

oł	cta	Dashboard	Directory	Applications	Security	Reports	Settings	My Applications 🔿
₩4	Create	SAML Int	egration					
		1 General Se	ettings		2 Cor	nfigure SAML		3 Feedback
1	General	Settings						
	App name			JIRA				
	App logo(o)	ptional) 🕐		O saml				
				plugInLogo.png			Brov	wse
				Upload Logo				
	App visibilit	ty	[Do not display a	oplication icon t			
				Do not display a	oplication icon i	in the Okta Mob	lle app	
	Cancel							Next

Fill in the URL and the SP Entity Id

Create SAML Integration

1 General Settings		2 Configure SAM	۸L	3 Feedback		
SAML Settings						
·				What does this form do?		
GENERAL				This form generates the XML needed f the app's SAML request.		
Single sign on URL 🔞	http://jir	a-test.2improveit.eu/plugins/servlet/s	aml/auth	Where do I find the info this form ne		
	Use t	this for Recipient URL and Destination	URL	The app you're trying to integrate with should have its own documentation on		
Audience URI (SP Entity ID)	http://jir	a-test.2improveit.eu		using SAML. You'll need to find that do and it should outline what information y		
Default RelayState 🔞				need to specify in this form.		
	lf no valu	e is set, a blank RelayState is sent		Okta Certificate		
Name ID format 🕢	Unspec	ified •		Import the Okta certificate to your Iden Provider If required.		
Application username 🔞	Okta us	ername v		🛓 Download Okta Certificate		
			Show Advanced Set	ettings		
ATTRIBUTE STATEMENTS (OPTION	AL)		LEARN N	MORE		
Name Name for	rmat (optional)	Value				
Unspe	ecified v		•	×		
Add Another						
GROUP ATTRIBUTE STATEMENTS (OPTIONAL) rmat (optional)	Fliter				
Unspe	ecified v	Starts with •		×		
Add Another						
Preview the SAML assertion get	nerated from	the information above				
,						
<> Preview the SAML Assertion						
is shows you the XML that will be used	d in the assertio	n - use it to verify the info you entere	d above			
			_			
Previous Cancel			N	Next		

Also fill in the fields for Displayname and email, you need add least have two attributes: name and email when you want to autocreate the user

lame	Name format (optional)	Value	
name	Unspecified •	user.login	•
email	Unspecified •	user.email	v
firstname	Unspecified •	user.firstName	_
lastname	Unspecified •	user.lastName	

Finalise the configuration of the SAML Integration in Octa

okta	Dashboard	Directory	Applications		Reports			My .	Applications 🔿		
👯 Create	e SAML Inte	egration									
	1 General Set		3 Feedback								
3 Help Okta Support understand how you configured this application Why are you asking me this?											
Are you a	Are you a customer or partner? I'm an Okta customer adding an internal app I'm a software vendor. I'd like to integrate my app with Okta							This form provides Okta background information Thank you for your help-	Support with useful about your app. —we appreciate it.		
0 T	he optional question	ns below assist C	0kta Support in und	erstanding you	r app integratio	۱.					
App type	App type 🔞 🗹 This is an internal app that we have created										
Previous						FI	inish				
© 2017 Okta, In	c. Privacy Ve	rsion 2016.52						Download Okta Plugin	Suggest a Feature		

Now View Setup Instructions

Settings

SIGN ON METHODS

The sign-on method determines how a user signs into and manages their credentials for an application. Some signon methods require additional configuration in the 3rd party application.

Application username is determined by the user profile mapping. Configure profile mapping

• SAN	1L 2.0							
[Default Relay State							
SAML 2.0 is not configured until you complete the setup instructions.								
	View Setup Instructions							
	Identity Provider metadata is available if this application supports dynamic configuration.							
CREDENTIALS DETAILS								
Applicatio	on username format Okta username							

And Scroll Down to the IDP Metadata

Edit

Optional

Provide the following IDP metadata to your SP provider.

BhMCVVMxEzARBgNVBAgMCkNhbGlmb3JuaWExFjAUBgNVBAcMDVNhbiBGcmFuY2lzY28xDTALBgNV $\mathsf{BAo}\mathsf{MBE9}\mathsf{rd}\mathsf{GExFDASBg}\mathsf{NVBAs}\mathsf{MC1}\mathsf{NTT1}\mathsf{Byb3ZpZGVy}\mathsf{MRMwEQYDVQQDD}\mathsf{ApkZXYtNjk2}\mathsf{MTI}\mathsf{O}\mathsf{MRwwGgYJ}\mathsf{MC1}\mathsf{M$ KoZIhvcNAQkBFg1pbmZvQG9rdGEuY29tMIIBIjANBgkqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEA IYYutTECKJ59hkwGA5qcFQnu1sIW8saE3ypzE2uVsAk3ivV2h90xF7J6GNyHO0seTegZS95cvwK/ ETbYFcJbcdrb5I7RP03Dh/1TLgTiwO1MnPfpTOJ0Z7k+3mbeL5x30G1n2H5tVnpZO8HJV4eBC++H 3A0a21qxk6HeGCw1xoYGica/Ld4RCcCrgTbZz7yKsRvu4gWnrVm82T+1/NBofCTWTD/Go3wCK1IY iGbwVPxgunqT3UUY3SfVXDiWYVIWGuSGXZDSbx6Km7COVDT8EM44RBFwfq2ilj0Uvem1GV8GGVaf sSuKh5tOJoY2Ei6aYbnq+FpnqfUNnr0IRfQK0wIDAQABMA0GCSqGSIb3DQEBCwUAA4IBAQAimtoD P4FlAbejQcEY2ZCLFHDZ6C99XzpQL+/hAIm9RU22KJ2M6BxJqXIziNU+58aYNNqtQwttqYfvKTqI $\label{eq:pressure} Pressure Pressure$ JhPXhX5rmLYmXpZn/LILMBYcrGfTKr12NmfovK6ouwT8cMjmtme3iZ8SZZJecOtTQ0htCrv7CYGb 2U7uOSfYFj4w8iQROghofNDoxVJ0chKREseifb/d7h0mZm1zCGq6NF9Lqi/1AnbmYAnkCOe9wqkr x9Rm3I7M4H9XfsFIRxCVd/BpUbKWY6c/</ds:X509Certificate></ds:X509Data></ds:KeyInfo></md:KeyDescriptor> <md:NameIDFormat>urn:oasis:names:tc:SAML:11:nameid-format:unspecified</md:NameIDFormat> <md:NameIDFormat>urn:oasis:names:tc:SAML:1.1:nameid-format:emailAddress</md:NameIDFormat><md:SingleSignOnService Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-POST" Location="https://dev-696124.oktapreview.com/app/2improveitdev696124_jiratest_1/exkjnvdpfzZHi7pyH0h7/sso/saml"/><md:SingleSignOnService Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-Redirect" Location="https://dev-696124.oktapreview.com/app/2improveitdev696124_jiratest_1/exkjnvdpfzZHi7pyH0h7/sso/saml"/></md:IDPSSODescriptor> </md:EntityDescriptor>

Copy And Paste the XML in the Identity Provider XML

Show the login Button

Show / Hide the login Button

Login Button Title

Login using Okta as Idp Server

The text which is shown on the Login Button

SAML Endpoint

https://jira-test.2improveit.eu/plugins/servlet/saml/auth

Use this URL in your IdP to initiate a SAML login

Identity Provider XML

1XlurmSRQrhhcT5Nst0sKC8tv5Evgk35oVpJly8DpV2/tbUY/qpDwRul3gOmQgyPXpXm5nNdF7et meRN6COAQ6pIYcc3RqnXu2vG+LKHeux4QMEAVQIDAQABMA0GCSqGSIb3DQEBBQUAA4IBAQ BL41N7 jTJ3SMRirig2NXte7K8AIjEukCOKJNXceli7IZC8Ybvmy3WiDsvip6JaC9bTdBEIMr+oytOWOZ+S piPrHLgXYXJH9C69qpyZzoWnHjdnXf4DgWhs1cR74oENjbKKLsqMy4CXUx9tR0e/zhvqxrT5Kf9 N

6b+r6MVYI9AIV7Sh2VMFRZYmzLeB5621+bHM+3fBpymrsvjLznMJHYRZYGhasgMNOnk5ZE04 mzkY

XqPmiOAHDzgV5J8DK7fAP24eyyZrRlbphYpA1jQTInPJs0BzAklw7/s/al9i1pr0dsP3l2rdhFXZ 67xJUhiAXxUqMIlzyMe8iPFmUyA8yRjU</ds:X509Certificate></ds:X509Data></ds:KeyInfo> </md:KeyDescriptor><md:NameIDFormat>urn:oasis:names:tc:SAML:1.1:nameidformat:emailAddress</md:NameIDFormat>

<md:NameIDFormat>urn:oasis:names:tc:SAML:1.1:nameid-

format:unspecified</md:NameIDFormat><md:SingleSignOnService

Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-POST" Location="https://dev-

696124.oktapreview.com/app/2improveitdev696124_jira_1/exk9950ideEeit4sO0h7/sso/saml"/> <md:SingleSignOnService Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-Redirect" Location="https://dev-

696124.oktapreview.com/app/2improveitdev696124_jira_1/exk9950ideEeit4sO0h7/sso/saml"/> </md:IDPSSODescriptor></md:EntityDescriptor>

Your Identity Providers metadata.xml

SP Entity ID

https://jira-test.2improveit.eu

The EntityID that your plugin will use as ServiceProvider

Max. Authentication Age

172000

The maximum time the system allows users to single sign-on since their initial authentication with the IDP

Force SAML login

If checked, all logins will be made through SAML only. Please test SAML SSO first before checking this box.

*

Create User

Create User if not exists

Default Usergroup(s)

jira-users

Assign the new created Users to these usergroups(s)

Disable Change Password

Disable that a user can change his password



You also need to define the people/groups which will have access to this application in Okta

okta	Dashboard	Directory	Applications	Security	Reports	Settings		Му	Applications 🕂
General	Sign On	RA Active 🔻 🐼	View Logs ple Groups					÷	Back to Applications
Assign to Pe Person & Use	cople	Assign JII	RA to People				(0 ×), hein	\otimes
		User Nam	e	hein hein Fro Other	in@2improvei m dev-696124. User Names	t.eu oktapreview.com			
© 2017 Okta, In		Ve			Sav	e and Go Back	Cancel	l Okta Plugin	

okta	Dashboard	Directory	Applications			My Applications \varTheta
Озлам		A ive v 😵	View Logs			← Back to Applications
General	Sign On	Import Peo	ipie Groups			
Assign to Pe	eople				Q hein	×
Person & Use	rname			Status		
Hein Couwet hein@2improv	veit.eu			Active		×

© 2017 Okta, Inc. Privacy Version 2016.52

Download Okta Plugin Suggest a Feature

